



COMPLETE PROTECTION

XPEL CORPORATE



SAN ANTONIO, TX

Corporate Headquarters, Customer Service, Training & Global Distribution



HISTORY

Founded in 1997, XPEL began in the paint protection film industry designing templates to use with other brands of PPF and distributing these patterns through our proprietary internet-based software system



PRODUCTS

Paint Protection Films, DAP Software, Automotive & Architectural Window Films, Ceramic Coatings, Training/Integration



BRIGHT FUTURE

NASDAQ: XPEL
+3000 Global customers
+295 Employees



MODELLO DI BUSINESS

- Proposta di una vasta gamma di pellicole e prodotti di qualità elevata per la protezione delle superfici, destinati al settore automotive (in prevalenza), così come al settore Home & Office, pubblico e privato.
- Formare preventivamente il personale dedicato all'installazione affinché il materiale sia trattato nella maniera più corretta ed il risultato finale corrisponda alle aspettative del cliente e dell'azienda stessa.
- Assistere, supportare ed accompagnare l'installatore allo sviluppo del proprio business attraverso l'utilizzo del software di taglio D.A.P. (Design Access Program) e grazie anche ad una continua attività di aggiornamento ed innovazione della gamma prodotti



PERCHE' PROTEGGERE (Automotive)

- Preservare la vernice originale dai danni provocati da agenti atmosferici e/o raggi UV
- Proteggere da abrasioni e piccole ammaccature causate tipicamente dai sassolini che spesso “segnano” le parti anteriori delle automobili o da rami sporgenti o sfregamenti di varia natura sulla carrozzeria
- Proteggere dai danni provocati dal rilascio di acidità degli insetti che colpiscono carrozzeria e parabrezza



> Mantenimento del «valore» originale nel tempo.

••• **XPPEL**

I VANTAGGI DELLA QUALITA'



- Garanzia di prestazione nel tempo (sul mercato troviamo materiali che durano dai 2 a 10 anni, a seconda proprio del grado di qualità).
- Elasticità della pellicola, resistenza in fase di installazione e sicurezza di adesione perfetta nei bordi.
- Capacità di autorigenerazione mantenuta nel tempo.
- Eliminazione dei difetti più comunemente riscontrabili nelle pellicole di bassa qualità che tipicamente sono: l'ingiallimento, la perdita precoce di brillantezza e flessibilità.



Un risultato finale migliore e duraturo

The XPEL logo, featuring three dots to the left of the word 'XPEL' in a bold, italicized, sans-serif font.

PERCHE' FORMARE



- Garanzia di competenza da parte del personale che tratta i prodotti XPEL
- Qualità di servizio garantita sul territorio, sia per attività di installazione aftermarket sia per interventi sui concessionari per garanzie OEM, ove richiesto
- Presenza globale: XPEL sta perseguendo una grande opera di costruzione del proprio network a livello globale. Gli installatori CERTIFICATI diventano reperibili sul sito www.xpel.com






PERCHE' IL DAP



- Perché è uno strumento **Unico e distintivo**, frutto di anni di esperienza
- Perché consente di **annullare I rischi di danneggiamento nelle auto**
- Perché è determinante nel produrre un **risultato di installazione preciso, eccellente**
- Perché grazie alla disponibilità di oltre 80 mila patterns, aiuta a **risparmiare tempo di installazione**

...«Chi lascia la sua auto nelle mie mani è felice di sentirsi dire che l'applicazione NON viene eseguita con taglio su carrozzeria a foglio libero» ...





Real-Time Paint, Headlamp And Window Tint Pattern Delivery From XPEL

Developed in-house, our DAP (Design Access Program) is the world's largest & most comprehensive pattern repository with 80,000+ real-time paint, headlamp and window tint patterns.

In the hands of an XPEL Certified Installer, the patterns offered by the DAP provide the confidence they need to apply film efficiently, accurately and without concern. We offer a free 30 day trial so you can see just how the precision of our design access program patterns can help your business succeed.

“ We love the DAP that is offered by XPEL. The accurate pre-cut kits result in better fitment and it reduces our installation time by 25%. All of this makes both our installers and clients happy. There is no need for disassembly and the pre-cut kits allow for better coverage from rock chips.”

DEAN SOLEIMANI, STICKER CITY



A QUALE TARGET DI CLIENTELA CI RIVOLGIAMO

- La potenzialità di questo business è aperta a tutti i target.
- Ad oggi riscontriamo che la maggior parte della clientela appartiene al cosiddetto segmento «Luxury».
- Possibili business alternativi sono rappresentati da mezzi di prestigio, auto d'epoca, imbarcazioni.
- Tuttavia, la possibilità di proporre la protezione di piccole parti (zona bagagliaio, battitacco, maniglie delle portiere ecc) e degli interni, può aiutare ad abbassare l'iniziale barriera del prezzo.



CHI E' IL NOSTRO PARTNER

- Il centro installazione /applicazione specializzato
- Il centro CAR DETAILING
- La carrozzeria organizzata e predisposta a questa tipologia di business



ATTENZIONE ALLA SELEZIONE DEI POSSIBILI PARTNERS

Sono da ritenersi rischiose o comunque poco fruttuose opere di protezione eseguite con materiali scadenti, pensando specialmente al cliente di riferimento.

Queste azioni di norma portano a far risparmiare il 20-25% ad un cliente (che normalmente non desidera prodotti scadenti) a fronte di un decadimento di prestazioni che può verificarsi anche solo dopo pochi anni.

Pertanto: >> Selezionate anche voi i giusti partners!!



CARATTERISTICHE DEL POLIURETANO

Idrorepellente: in pratica il suo assorbimento dell'acqua è davvero minimo.

Non assorbe il vapore: il poliuretano è impermeabile al vapore, non lo assorbe. Perciò non assorbe l'umidità

Resistente ai carichi: alcuni test in laboratori hanno dimostrato che possono sopportare vari tipi di carichi a diverse velocità

Stabilità della dimensione: anche se si deforma, riacquista in poco tempo le sue dimensioni iniziali, senza danneggiarsi

Lunga vita: questo materiale è amato in molti settori di applicazione perché la sua durata può essere anche superiore ai 50 anni.

Isolamento termico e acustico ... ecc



GAMMA PRODOTTI



ULTIMATE PLUS PAINT PROTECTION FILM

Invisible, Cut-To-Fit Protection Film

Protects from Rock Chips,
Bug Acids, and Road Debris Damage

Professionally Installed New-Car Product

AUTOMOTIVE PRODUCTS



PRIME AUTOMOTIVE WINDOW FILM

Film for Heat Rejection,
Security and Appearance

4 Core Lines of Film,
Something For Everyone

High-End Products for
Margin, Differentiation



FUSION PLUS CERAMIC COATING

Hydrophobic Coating Applied to PPF and
Painted Surfaces

Allows for Easy Finished Maintenance and Cleaning

Opportunity for More Revenue Per Car

Vedi Listino aggiornato


...XPEL

I PIU' UTILIZZATI DAL MERCATO

ULTIMATE PLUS™ PAINT PROTECTION FILM

XPEL ULTIMATE PLUS™ is a high performance, self-adhesive, clear-coated aliphatic polyurethane film designed to protect automotive paint, and other surfaces, from harmful effects of stone chips and abrasion. It has exceptional elongation properties for ease of application which allows for single piece installations. **XPEL ULTIMATE PLUS™** is a very low surface energy film designed to resist staining and offers superior environmental resistance and gloss retention. The clear coat employs special elastomeric polymers that allow scratches in the surface to "heal" over time, eliminating the need for frequent polishing to maintain a just installed appearance. **XPEL ULTIMATE PLUS™** is coated with ultra-clear high performance acrylic adhesive which has excellent adhesion on a broad range of surfaces, while resisting disturbances during installation. This high performance acrylic adhesive is formulated to resist delamination, will not damage paint or leave behind residue upon removal post installation.

PRODUCT CONSTRUCTION




NOMINAL THICKNESS W/O RELEASE LINER
107 µm (7.6 mil) +/- 10%

STEALTH SATIN PAINT PROTECTION FILM

XPEL STEALTH is a high performance self adhesive satin clear coated aliphatic polyurethane film designed to protect automotive paint, and other surfaces, from the harmful effects of stone chips and abrasion. It has exceptional elongation properties for ease of application and this feature allows for single piece installations over highly contoured surfaces. **XPEL STEALTH** is a very low surface energy film designed to resist staining and offers superior resistance to environmental contaminants. The satin clear coat employs special elastomeric polymers that allow light scratches and swirls to "heal" over time. **XPEL STEALTH** is coated with ultra clear high performance acrylic adhesive which has excellent adhesion on a broad range of surfaces, while resisting disturbances during installation. This high performance acrylic adhesive is formulated to resist delamination, will not damage paint or leave behind residue upon removal post installation.

PRODUCT CONSTRUCTION



NOMINAL THICKNESS W/O RELEASE LINER
200 µm (7.9 mil) +/- 10%




CENTER CONSOLES & CONTROLS

XUP . STEALTH . RX

Interior vehicle surfaces are exposed to wear & tear just like your vehicle's exterior surfaces. In fact, sometimes the interior is worn even harder than the exterior! XPEL INTERIOR PROTECTION restores, renews, and protects the most trafficked areas in your vehicle like the gloss piano black trim, carbon accents, and anything that's getting scratched between trips.

C O N S O L E S



Protect & Improve

XUP . STEALTH . RX

With touch screens & modern control interfaces becoming the standard, it's never been a better time for anti-microbial protection. Constant touch can spread germs rapidly. XPEL RX has been specifically formulated to inhibit the growth of microbes on the film's surface. With RX covering your touch screens, you're taking INTERIOR PROTECTION to the next level.

— TOUCHSCREENS —



Automotive Window Film



Superior Heat Rejection

Our multilayer nano-ceramic particle technology blocks up to 98% of the infrared heat.



UV Ray Protection

XPEL PRIME XR PLUS provides SPF 1,000 protection that effectively blocks over 99% of harmful UV rays that can lead to numerous skin cancers, premature aging and skin cell damage.



Greater Clarity

In the past, keeping cool meant choosing a darker shade of tint. The multi-layer nano construction in XPEL PRIMETM XR PLUS provides ultra-high performance without reducing outbound visibility.




Crystal Clear Signal

In a digital world, clear communication is key. PRIME XR PLUS construction will not interfere with radio, cellular, or bluetooth signals.

PRIMECS

PRIMEXR

PRIMEXR
PLUS



XPPEL

FUSION PLUS
CERAMIC COATING

9H

HIGH GLOSS

4 YEAR WARRANTY

FUSION PLUS

Some of the advantages of FUSION PLUS are:

- ✓ Single layer application – no need to base-coat / top coat application
- ✓ It has a great initial slickness that lasts
- ✓ The hydrophobic properties are an industry leading property
- ✓ Its backed by the company that introduced the world's first Self-Healing
- ✓ Paint Protection Film and the company you trust to provide quality products




UNA GRANDE OPPORTUNITA'

RX
PROTECTION FILM

TECHNICAL DATA SHEET DECEMBER 2018

XPEL **RX** PROTECTION FILM is a patented, medical grade self-adhesive, clear-coated thermoplastic polyurethane film designed to protect commercial monitors, personal devices, and other surfaces. XPEL **RX** is specifically formulated to resist the growth of microbes on its surface. Combining the medical grade strength of our Silver Ion material with its unrivaled impact resistance and HD clarity, XPEL **RX** PROTECTION FILM is the ultimate in device protection.

PRODUCT CONSTRUCTION



GENERAL CHARACTERISTICS

PROPERTIES	TYPICAL VALUES	TEST METHOD
Peel Adhesion	Average oz/in (N/m)	
Stainless Steel	49 (539)	ASTM D 903 (Modified 72 hr. RT dewell time)
Acrylic	97 (1067)	
Glass	51 (561)	
Polypropylene Polyethylene	11 (121) 10 (110)	
Expected Shear (hours)	50	ASTM D 3654 Method A (1 hr. dwell, 1 sq. in, 4 lb. load)
Tack (g)	500	ASTM D 2979

* For guidance only, not to be used for setting specifications. Due to the custom nature of this product, the data presented are based on three or less production runs.

EXPECTED EXTERIOR LIFE	2-Year
SERVICE TEMPERATURE RANGE	-40°F to 212°F (-40°C to 100°C)
MINIMUM APPLICATION TEMPERATURE	50°F (10°C)
STORAGE STABILITY	2-Years stored at 70°F (21°C) and 50% RH



POLITICA COMMERCIALE

I prezzi sono riscontrabili nel «LISTINO PREZZI ALL'INSTALLATORE» e sono intesi come netti (IVA esclusa)


La politica prezzi è coordinata a livello Europeo.

NON sono previsti sconti, bonus o rebates di alcun tipo.

XPEL chiede ai propri partners di rivolgere grande attenzione al cliente finale (servizio)



GLI ELEMENTI AGGIUNTIVI CHE FANNO LA DIFFERENZA



...**XPEL**

CHE SCELTA FARANNO I VOSTRI CLIENTI?

**(FOLLOWERS) - INSEGUIRANNO IL MERCATO PROPONENDO IL
PRODOTTO AL PREZZO PIU' BASSO ?**

**(LEADER) – OPPURE DECIDERANNO DI GUIDARE IL MERCATO
PROPONENDO IL MODELLO XPEL?**



GRAZIE PER LA VOSTRA
ATTENZIONE